

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	3	(read\$3 or extract\$3) near3 (buffer\$1 or storage\$1 or ram or memor\$3) near4 (preamble or header or pilot or training) with ((end or finish or last or final) adj1 (symbol or bit or point))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/11/25 15:21
S2	96	(read\$3 or extract\$3) near3 (buffer\$1 or storage\$1 or ram or memor\$3) near4 (preamble or header or pilot or training) with ((end or finish or last or final))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/11/25 15:22
S3	94	(read\$3 or extract\$3) near3 (buffer\$1 or storage\$1 or ram or memor\$3) near4 (preamble or header or pilot or training) with ((end or last or final))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/11/25 15:22
S4	85	(read\$3 or extract\$3) near3 (buffer\$1 or storage\$1 or ram or memor\$3) near4 (preamble or header or (pilot adj1 (signal or sumbol or sequence)) or (training adj1 (symbol or sequence or signal))) with ((end or last or final))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/11/25 15:23
S5	6	(read\$3 or extract\$3) near5 (buffer\$1 or storage\$1 or ram or memor\$3) near4 (preamble or header or (pilot adj1 (signal or sumbol or sequence)) or (training adj1 (symbol or sequence or signal))) with ((end or last or final) near3 (symbol or sequence or frame or bit or point))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/11/25 15:24

S6	0	(trasfrom\$3 or fft or dft) near8 (buffer\$1 or storage \$1 or ram or memor\$3) near4 (preamble or header or (pilot adj1 (signal or sumbol or sequence)) or (training adj1 (symbol or sequence or signal))) with ((end or last or final) near3 (symbol or sequence or frame or bit or point))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/11/25 15:27
S7	0	(trasfrom\$3 or fft or dft) with (buffer\$1 or storage\$1 or ram or memor\$3) near4 (preamble or header or (pilot adj1 (signal or sumbol or sequence)) or (training adj1 (symbol or sequence or signal))) with ((end or last or final) near3 (symbol or sequence or frame or bit or point))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/11/25 15:28
S8	0	(transfrom\$3 or fft or dft) with (buffer\$1 or storage\$1 or ram or memor\$3) near4 (preamble or header or (pilot adj1 (signal or sumbol or sequence)) or (training adj1 (symbol or sequence or signal))) with ((end or last or final) near3 (symbol or sequence or frame or bit or point))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/11/25 15:28
S9	49	(transform\$3 or fft or dft) with (preamble or header or (pilot adj1 (signal or symbol or sequence)) or (training adj1 (symbol or sequence or signal))) with ((end or last or final or finish\$3) near3 (symbol or sequence or frame or bit or point))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/11/25 15:29
S10	53	(transform\$3 or fft or dft) same (preamble or header or (pilot adj1 (signal or symbol or sequence)) or (training adj1 (symbol or sequence or signal))) with ((end or last or final or finish \$3) near5 preamble)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/11/25 15:34

S11	782	(transform\$3 or fft or dft) same (preamble or header or (pilot adj1 (signal or symbol or sequence)) or (training adj1 (symbol or sequence or signal))) with ((end or last or final or finish \$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/11/25 15:34
S12	444	(transform\$3 or fft or dft) same (preamble or header or (pilot adj1 (signal or symbol or sequence)) or (training adj1 (symbol or sequence or signal))) near5 ((end or last or final or finish \$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/11/25 15:35
S13	125	(transform\$3 or fft or dft) with (preamble or header or (pilot adj1 (signal or symbol or sequence)) or (training adj1 (symbol or sequence or signal))) near5 ((end or last or final or finish \$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/11/25 15:35
S14	0	(transform\$3 or fft or dft) with (read\$3 or extract) near4 (preamble or header or (pilot adj1 (signal or symbol or sequence)) or (training adj1 (symbol or sequence or signal))) near5 ((end or last or final or finish \$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/11/25 15:37
S15	2	(transform\$3 or fft or dft) same (read\$3 or extract) near4 (preamble or header or (pilot adj1 (signal or symbol or sequence)) or (training adj1 (symbol or sequence or signal))) near5 ((end or last or final or finish \$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/11/25 15:37
S16	1	("20040105506").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/11/25 15:49
S17	302	((foueir adj1 transform\$3) or fft or dft) with ((end or last or final or finish \$3) near3 (symbol or sequence or bit or frame))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/11/25 15:51
S18	249	((foueir adj1 transform\$3) or fft or dft) with ((end or last or final) near2 (symbol or sequence or bit or frame))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/11/25 15:51

S19	259	((fourier adj1 transform\$3) or fft or dft) with ((end or last or final) near2 (symbol or sequence or bit or frame or preamble))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/11/25 15:51
S20	23	((fourier adj1 transform\$3) or fft or dft) with ((end or last or final) near2 (symbol or sequence or bit or frame or preamble)) with (memory or buffer or register or ram or storage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/11/25 15:53
S21	318	((fourier adj1 transform\$3) or fft or dft) with ((end or last or final) near2 (symbol or sequence or bit or frame or preamble))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/11/25 15:55
S22	33	((fourier adj1 transform\$3) or fft or dft) with ((detect\$3 or reach\$3) near3 (end or last or final) near2 (symbol or sequence or bit or frame or preamble))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/11/25 15:55
S23	15	(begin\$3 or start\$3) near3 ((fourier adj1 transform\$3) or fft or dft) near8 ((end or last or final) near2 (symbol or sequence or bit or frame or preamble))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/11/25 15:58
S24	189	((fourier adj1 transform\$3) or fft or dft) near8 ((end or last or final) near2 (symbol or sequence or bit or frame or preamble))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/11/25 15:59
S25	109	((fourier adj1 transform\$3) or fft or dft) near8 ((end or last or final) near2 (symbol or sequence or bit or frame or preamble)) and @ad<="20031212"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/11/25 16:00
S26	35	((fourier adj1 transform\$3) or fft or dft) same ((detect \$3 or reach\$3) near3 (end or last or final) near2 (symbol or sequence or bit or frame or preamble)) and @ad<="20031212"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/11/26 10:10

S27	537	read\$3 near4 (memory or storage or ram or buffer or register) near4 ((end or last or final) adj2 (symbol or sequence or bit or frame or preamble)) and @ad<="20031212"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/11/26 10:15
S28	17	read\$3 near4 (memory or storage or ram or buffer or register) near4 ((detect\$3 or reach\$3) near4 (end or last or final) adj2 (symbol or sequence or bit or frame or preamble)) and @ad<="20031212"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/11/26 10:16
S29	33	read\$3 near4 (memory or storage or ram or buffer or register) near8 ((detect\$3 or reach\$3) near4 (end or last or final) adj2 (symbol or sequence or bit or frame or preamble)) and @ad<="20031212"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/11/26 10:16
S30	16	((start\$3 or begin\$4) near3 read\$3) near8 ((detect\$3 or reach\$3) near4 (end or last or final) near2 (symbol or sequence or bit or frame)) and @ad<="20031212"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/11/26 10:23
S31	268	(read\$3) near8 ((detect\$3 or reach\$3) near4 (end or last or final) near2 (symbol or sequence or bit or frame)) and @ad<="20031212"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/11/26 10:26
S32	205	(read\$3) near5 ((detect\$3 or reach\$3) near4 (end or last or final) near2 (symbol or sequence or bit or frame)) and @ad<="20031212"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/11/26 10:26
S33	160	(read or reading) near5 ((detect\$3 or reach\$3) near4 (end or last or final) near2 (symbol\$1 or sequence\$1 or bit\$1 or frame\$1)) and @ad<="20031212"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/11/26 10:29
S34	2	(buffer or memory or ram or storage) near5 (fft or (fourier adj1 transform)) same (long adj1 preamble)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/11/26 10:58

S35	30	(buffer or memory or ram or storage) near5 (fft or (fourier adj1 transform)) and (long adj1 preamble)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/11/26 10:58
S36	197	((fourier adj1 transform\$3) or fft or dft) with ((end or last or final or whole) near2 (symbol or sequence or bit or frame or preamble)) and @ad<="20031212"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/11/26 11:25
S37	197	((fourier adj1 transform\$3) or fft or dft) with ((end or last or final or whole) near2 (symbol or sequence or bit or frame or preamble or date)) and @ad<="20031212"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/11/26 11:25
S38	117	((fourier adj1 transform\$3) or fft or dft) near8 ((end or last or final or whole) near2 (symbol or sequence or bit or frame or preamble or date)) and @ad<="20031212"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/11/26 11:26
S39	1	((perform\$3 or end\$3 or stop\$3) adj1((fourier adj1 transform\$3) or fft or dft)) near8 ((end or last or final or whole) near2 (symbol or sequence or bit or frame or preamble or date)) and @ad<="20031212"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/11/26 11:26
S40	1	((perform\$3 or end\$3 or stop\$3) adj1 ((fourier adj1 transform\$3) or fft or dft)) near8 ((end or last or final or whole) near2 (symbol or sequence or bit or frame or preamble or date)) and @ad<="20031212"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/11/26 11:27
S41	1	((perform\$3 or end\$3 or stop\$3 or finish\$3) adj1 ((fourier adj1 transform\$3) or fft or dft)) near8 ((end or last or final or whole) near2 (symbol or sequence or bit or frame or preamble or date)) and @ad<="20031212"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/11/26 11:27
S42	7	(activat\$3 or enabl\$3) near3 toggle near4 (control\$3) near3 (read\$3 near4 writ\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/11/26 13:05

S43	63	(activat\$3 or enabl\$3) near3 (toggle or switch\$3) near4 (control\$3) near3 (read\$3 near4 writ\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/11/26 13:07
S44	1	("20040247053").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/11/26 13:37
S45	1	("20030063576").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/11/26 14:07
S46	1	("6154486").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/11/26 14:33
S47	1	("20040105506").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/11/28 18:33
S48	1	(toggle adj1 signal) near6 control\$3 near3 (read near4 write) near4 (memor\$5 or ram\$1 or buffer or storage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/11/28 18:52
S49	1	(toggle adj1 signal) near6 control\$3 near3 (read near4 write)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/11/28 18:53
S50	14	(toggle adj1 signal) near7 (read near4 write)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/11/28 18:53
S51	381	((toggle or switch\$3) adj1 signal) near7 (read near4 write)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/11/28 19:42
S52	34	((toggle or switch\$3) adj1 signal) near6 control\$3 near3 (read near4 write) near4 (memor\$5 or ram\$1 or buffer or storage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/11/28 19:43
S53	1	((toggle or switch\$3) adj1 signal) near6 control\$3 near3 (read near4 write) near4 (memor\$5 or ram\$1 or buffer or storage) same (fft or (fourier adj1 transform))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/11/28 19:43

12/ 4/ 2008 3:54:16 PM

C:\Documents and Settings\Imalek\My Documents\EAST\Workspaces\10719192second.wsp